© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26-295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

ISBN 978-0-626-44571-3

SANS 16128-2:2018
Edition 1

ISO 16128-2:2017
Edition 1

SOUTH AFRICAN NATIONAL STANDARD

Cosmetics — Guidelines on technical definitions and criteria for natural and organic cosmetic ingredients

Part 2: Criteria for ingredients and products

This national standard is the identical implementation of ISO 16128-2:2017, and is adopted with the permission of the International Organization for Standardization.

WARNING
This document references other documents normatively.

Published by the South African Bureau of Standards
1 Dr Lategan Road Groenkloof ✉ Private Bag X191 Pretoria 0001
Tel: +27 12 428 7911 Fax: +27 12 344 1568
www.sabs.co.za
© SABS

SABS

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26-295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

This page has been left blank intentionally

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26-295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.



COPYRIGHT PROTECTED DOCUMENT

© SABS

In terms of the Standards Act 8 of 2008, the copyright in all South African National Standards or any other publications published by the SABS Standards Division, vests in the SABS. Any use of South African National Standards is limited to use specifically prescribed by the SABS. In the case of a South African National Standard based on an international standard, ownership of the copyright vests in the organization from which the SABS adopted the standard, whether it be under licence or membership agreement. The SABS is obliged to protect such copyright and is authorized to make the relevant international organization aware of any misuse thereof. Unless exemption has been granted, no extract or full text of any South African National Standard may be copied, reproduced, stored in a retrieval system or transmitted in any form or by any means without prior written permission from the SABS Standards Division. This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any purpose other than implementation, prior written permission must be obtained.

Details, advice and limitations of use can be obtained from the Manager: Standards Sales and Information Services. Tel: +27 (0) 12 428 6883 email: sales@sabs.co.za

SABS – Standards Division

The objective of the SABS Standards Division is to develop, promote and maintain South African National Standards. This objective is incorporated in the Standards Act, 2008 (Act No. 8 of 2008).

The SABS continuously strives to improve the quality of its products and services and would therefore be grateful if anyone finding an inaccuracy or ambiguity while using this standard would inform the secretary of the technical committee responsible, the identity of which can be found in the foreword.

Buying Standards

Contact the Sales Office for South African and international standards, which are available in both electronic and hard copy format. Tel: +27 (0) 12 428 6883 email: sales@sabs.co.za

South African National Standards are also available online from the SABS Webstore www.store.sabs.co.za

Information on Standards

SABS Customer Services provide comprehensive standards-related information on national, regional and international standards. Tel: +27 (0) 12 428 7911 / 0861 27 7227 email: info@sabs.co.za

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26-295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

SANS 16128-2:2018
Edition 1
ISO 16128-2:2017
Edition 1

Table of changes

Change No.	Date	Scope

National foreword

This South African standard was prepared by National Committee SABS/TC 217, *Cosmetics*, in accordance with procedures of the South African Bureau of Standards, in compliance with annex 3 of the WTO/TBT agreement.

This document was approved for publication in August 2018.

Compliance with this document cannot confer immunity from legal obligations.

Reaffirmed and reprinted in February 2026.
This document will be reviewed every five years and be reaffirmed, amended, revised or withdrawn.

© SABS

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution or access outside approved networks is prohibited.

INTERNATIONAL STANDARD

ISO 16128-2

First edition
2017-09

Cosmetics — Guidelines on technical definitions and criteria for natural and organic cosmetic ingredients —

Part 2: Criteria for ingredients and products

Cosmétiques — Lignes directrices relatives aux définitions techniques et aux critères applicables aux ingrédients et produits cosmétiques naturels et biologiques —

Partie 2: Critères relatifs aux ingrédients et aux produits

Reference number
ISO 16128-2:2017(E)

© ISO 2017

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

© ISO 2017 – All rights reserved
This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

Contents

Page

Foreword ... **iv**

Introduction ... **v**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Approach to determine natural, natural origin, organic and organic origin indexes for cosmetic ingredients ... **1**
4.1 General ... 1
4.2 Extracts ... 2
4.3 Determination of natural and natural origin indexes of ingredients ... 2
4.3.1 Natural index ... 2
4.3.2 Natural origin index ... 3
4.4 Determination of organic and organic origin indexes of ingredients ... 3
4.4.1 Organic index ... 3
4.4.2 Organic origin index ... 4

5 Approaches to determine natural and/or organic content of finished cosmetic products ... **6**
5.1 Natural content ... 6
5.1.1 General ... 6
5.1.2 Calculation of natural content by including formulation water ... 6
5.1.3 Calculation of natural content by excluding formulation water ... 7
5.2 Natural origin content ... 7
5.2.1 General ... 7
5.2.2 Calculation of natural origin content by including formulation water ... 7
5.2.3 Calculation of natural origin content by excluding formulation water ... 7
5.3 Organic content ... 8
5.3.1 General ... 8
5.3.2 Calculation of organic content by including formulation water ... 8
5.3.3 Calculation of organic content by excluding formulation water ... 8
5.4 Organic origin content ... 9
5.4.1 General ... 9
5.4.2 Calculation of organic origin content by including formulation water ... 9
5.4.3 Calculation of organic origin content by excluding formulation water ... 9

Annex A (informative) **Examples of calculations to determine indexes of ingredients containing a derived natural or organic component** ... **10**

Annex B (informative) **Examples of organic index and organic origin index determination for extracts** ... **11**

Annex C (informative) **Results of index determination and content calculation from Clauses 4 and 5** ... **13**

© ISO 2017 – All rights reserved

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 217, *Cosmetics*.

A list of all parts in the ISO 16128 series can be found on the ISO website.

© ISO 2017 – All rights reserved
This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

Introduction

ISO 16128 provides guidelines on definitions and criteria for natural and organic cosmetic ingredients and products. These guidelines are specific to the cosmetics sector, taking into account that most existing approaches written for the agricultural and food sector are not directly transferrable to cosmetics. They apply scientific judgment and offer principles towards a consistent logical framework for natural and organic cosmetic ingredients and products incorporating common approaches employed in existing references. The purpose of these guidelines is to encourage a wider choice of natural and organic ingredients in the formulation of a diverse variety of cosmetic products to encourage innovation.

© ISO 2017 – All rights reserved

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

INTERNATIONAL STANDARD ISO 16128-2:2017(E)

Cosmetics — Guidelines on technical definitions and criteria for natural and organic cosmetic ingredients —

Part 2: Criteria for ingredients and products

1 Scope

This document describes approaches to calculate natural, natural origin, organic and organic origin indexes that apply to the ingredient categories defined in ISO 16128-1. This document also offers a framework to determine the natural, natural origin, organic and organic origin content of products based on the ingredient characterization.

Neither ISO 16128-1 nor this document addresses product communication (e.g. claims and labelling), human safety, environmental safety, socio-economic considerations (e.g. fair trade), characteristics of packaging materials or regulatory requirements applicable for cosmetics.

This document builds on and enhances ISO 16128-1. It is intended to be used in conjunction with ISO 16128-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 16128-1:2016, *Guidelines on technical definitions and criteria for natural and organic cosmetic ingredients and products — Part 1: Definitions for ingredients*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at http://www.electropedia.org/

— ISO Online browsing platform: available at http://www.iso.org/obp

4 Approach to determine natural, natural origin, organic and organic origin indexes for cosmetic ingredients

4.1 General

This clause applies to ingredients, either as defined chemical substances, or as animal, mineral, microorganism or plant materials (in whole, in part or as an extract).

In case of a mixture of two or more ingredients, each ingredient contribution shall be taken separately.

© ISO 2017 – All rights reserved

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

4.2 Extracts

When a solvent is partially evaporated, the producer of the extract may utilize industry best practices (e.g. measurement by instrumentation, characterization of solvent volatility, published values of evaporation rates) to determine the index/indices of the extract. The approach and justification for this determination should be made available to interested parties, when requested.

Extracts indexes calculation follow the rules described in 4.3 and 4.4.

In the case of extracts, the following principles apply when determining indexes.

— The indexes of finished extracts should reflect the starting materials [i.e. ingredient solvent(s) and un-extracted mass].

— Extracts may be produced from fresh or dried materials.

— The extraction procedure stops at separation of the extract from the insoluble residue (e.g. at filtration). If subsequent operations are performed (e.g. dilution, preservation, etc.), their contributions to the indexes are treated as additions of new ingredients.

— The final extract (e.g. in the case of concentration) cannot display more organic or natural content than the starting materials.

— Reconstitution of dry plants with water to their original fresh mass is allowed. The reconstitution water should be present in the finished extract in order to count towards its natural or organic content.

— When calculating the organic index, reconstitution water is considered organic while any extraction water in excess is natural.

— An extract made from non-organic plants has an organic index and organic origin index of 0.

— Ingredient solvents are defined in ISO 16128-1:2016, Table A.1.

— The use of non-natural ingredients (e.g. alcohol denaturants) is allowed in ingredient solvents. However, if the mixture contains a non-natural ingredient solvent, then the entire mixture is non-natural.

4.3 Determination of natural and natural origin indexes of ingredients

4.3.1 Natural index

The natural index is a value indicating the extent to which a cosmetic ingredient meets the definition of natural ingredients from ISO 16128-1:2016, Clause 2.

The value is assigned to each ingredient according to the following guidance:

Natural index = 1: Ingredient meets the definition of natural ingredients. The natural indexes of constitutive water, reconstitution water, extraction water and formulation water are each considered to equal 1.

Natural index = 0: Ingredient does not meet the definition of natural ingredients.

The natural index of extract is calculated according to Formula (1):

$$I_{\mathrm{n}} = 1 - \frac{m_{\mathrm{DNS}}}{m_{\mathrm{T}}} \tag{1}$$

where

© ISO 2017 – All rights reserved
This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

I_n is the natural index;

m_{DNS} is the mass of derived natural solvent introduced;

m_T is the total mass introduced (natural ingredients and ingredient solvents).

For example, extracts of natural ingredients have a natural index of 1 if the solvents used are natural, including water.

4.3.2 Natural origin index

The natural origin index is a value indicating the extent to which a cosmetic ingredient meets the definitions of either natural ingredients in ISO 16128-1:2016, Clause 2, derived natural ingredients from ISO 16128-1:2016, Clause 3, or derived mineral ingredients from ISO 16128-1:2016, Clause 4.

The value is assigned to each ingredient according to the following guidance:

Natural origin index = 1: Ingredient meets the definition of natural ingredients, constitutive water, reconstitution water, extraction water or formulation water. Extracts of natural ingredients using ingredient solvents that are natural or derived natural of wholly natural origin (according to ISO 16128-1:2016, Table A.1) have a natural origin index of 1.

0,5 < Natural origin index ≤ 1: Ingredient meets the definition of derived natural ingredients or derived mineral ingredients. The value is calculated as the ratio of the natural origin moiety, as determined by molecular mass, renewable carbon content or any other relevant methods, to the total molecular composition of that ingredient.

Natural origin index = 0: Ingredient neither meets the definition of natural ingredients nor derived natural ingredients nor derived mineral ingredients, including those with natural origin indexes calculated to be ≤0,5.

4.4 Determination of organic and organic origin indexes of ingredients

4.4.1 Organic index

The organic index is a value indicating the extent to which a cosmetic ingredient meets the definition of organic ingredients from ISO 16128-1:2016, 2.3.

The value is assigned to each ingredient according to the following guidance:

Organic index = 1: Ingredient meets the definition of organic ingredients, constitutive water or reconstitution water.

Organic index = 0: Ingredient does not meet the definition of organic ingredients. The organic indexes of both extraction water and formulation water are considered to be equal to 0.

Extracts of organic ingredients in organic ingredient solvents have an organic index of 1. Oily macerates of dried or fresh organic ingredients in organic oil have an organic index of 1. Essential oils and fully dried extracts of organic ingredients have an organic index of 1 if the process solvent follows ISO 16128-1:2016, Table A.2 (because the extraction solvent is removed, it is considered as a process solvent). In other cases, the organic index is calculated according to Formula (2):

$$I_o = 1 - \frac{m_{NS} + m_{DNS} + m_{DOS}}{m_T} \quad (2)$$

where

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

I_o is the organic index;

m_{NS} is the mass of natural solvent introduced;

m_{DNS} is the mass of derived natural solvent introduced;

m_{DOS} is the mass of derived organic solvent introduced;

m_T is the total mass introduced (organic ingredients and ingredient solvents).

In order to determine m_{NS} in the above calculation for dried plants when water is used as an ingredient solvent, it is important to subtract the mass of the reconstitution water to represent the mass of the fresh plant.

For extracts of dried plants in which water is used, the extraction water is calculated as Formula (3):

$$H_2O_E = m_{H2O} - H_2O_R \quad (3)$$

where

H_2O_E is the extraction water;

m_{H2O} is the total mass of water introduced;

H_2O_R is the reconstitution water which is determined as follows:

— when the original fresh plant mass of the dried plant is known, H_2O_R is the lower value between ($m_{FP} - m_{DP}$) and m_{H2O};

— when the original fresh plant mass of the dried plant is not known, H_2O_R is the lower value between ($k \times m_{DP} - m_{DP}$) and m_{H2O};

where

m_{FP} is the mass of the original fresh plant;

m_{DP} is the mass of dried plant;

k is the dry/fresh ratio:

— wood, bark, seeds, nuts and roots : $k = 2,5$

— leaves, flowers and aerial parts : $k = 4,5$

— water fruits: $k = 8$

or as otherwise specified by the raw material supplier.

4.4.2 Organic origin index

The organic origin index is a value indicating the extent to which a cosmetic ingredient meets the definitions of either organic ingredients from ISO 16128-1:2016, 2.3, or derived organic ingredients from ISO 16128-1:2016, 3.2.

The value is assigned to each ingredient according to the following guidance:

Organic origin index = 1: Ingredient meets the definition of organic ingredients, constitutive water or reconstitution water.

0 < Organic origin index ≤ 1: Ingredient meets the definition of derived organic ingredients. The value is calculated as the ratio of the organic origin moiety, as determined by molecular mass, renewable carbon content or any other relevant methods, to the total molecular composition of that ingredient.

© ISO 2017 – All rights reserved
This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

Organic origin index = 0: Ingredient neither meets the definition of organic ingredients nor derived organic ingredients. The organic origin indexes of both extraction water and formulation water are considered to equal 0.

Extracts of organic ingredients in organic or derived organic ingredient solvents have an organic origin index of 1. Oily macerates of dried or fresh organic ingredients in organic or derived organic oil have an organic origin index of 1. Essential oils and fully dried extracts of organic ingredients have an organic origin index of 1 if the process solvent follows ISO 16128-1:2016, Table A.2 (because the extraction solvent is removed, it is considered a process solvent). In other cases, the organic origin index is calculated according to Formula (4):

$$I_{oo} = 1 - \frac{m_{NS} + m_{DNS}}{m_T} \quad (4)$$

where

I_{oo} is the organic origin index;

m_{NS} is the mass of natural solvent introduced;

m_{DNS} is the mass of derived natural solvent introduced;

m_T is the total mass introduced (organic ingredients and ingredients solvents).

In order to determine m_{NS} for the above calculations when dried plants are used, it is important to subtract the mass of the reconstitution water from the mass of the extraction water to represent the mass of the plant before drying.

For extracts of dried plants in which water is used, the extraction water is calculated as Formula (3):

$$H_2O_E = m_{H2O} - H_2O_R$$

where

H_2O_E is the extraction water;

m_{H2O} is the total mass of water introduced;

H_2O_R is the reconstitution water which is determined as follows:

— when the original fresh plant mass of the dried plant is known, H_2O_R is the lower value between ($m_{FP} - m_{DP}$) and m_{H2O};

— when the original fresh plant mass of the dried plant is not known, H_2O_R is the lower value between ($k \times m_{DP} - m_{DP}$) and m_{H2O};

where

m_{FP} is the mass of the original fresh plant;

m_{DP} is the mass of dried plant;

k is the dry/fresh ratio:

— wood, bark, seeds, nuts and roots : $k = 2,5$

— leaves, flowers and aerial parts : $k = 4,5$

— water fruits: $k = 8$

or as otherwise specified by the raw material supplier.

For extracts, ingredient solvents could be organic, derived organic, natural (including water) or natural derived of wholly natural origin (as indicated in ISO 16128-1:2016, Table A.1).

© ISO 2017 – All rights reserved

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

Table 1 — Indexes for the different categories of non-mixture ingredients

Ingredient category	Index and value			
	Natural index	Natural origin index	Organic index	Organic origin index
Constitutive water	1	1	1[b]	1[b]
Reconstitution water	1	1	1[b]	1[b]
Extraction water, with exclusion of reconstitution water	1	1	0	0
Formulation water	1	1	0	0
Natural	1	1	0	0
Natural mineral	1	1	0	0
Organic	1	1	1[b]	1[b]
Derived natural[a]	0	>0,5	0	0
Derived organic[a]	0	1	0	To be calculated[b]
Derived mineral[a]	0	1	0	0
Non-natural	0	0	0	0

[a] Annex A shows sample index values and calculations for derived ingredients.

[b] Only if the source material is organic. Otherwise, the value is 0.

Annex A provides examples of calculation for derived ingredients containing a derived natural or derived organic component. Annex B provides examples of calculation for extracts.

5 Approaches to determine natural and/or organic content of finished cosmetic products

5.1 Natural content

5.1.1 General

The natural content of a product is the mass percentage, between 0 % and 100 %, of all natural ingredients in that product. It is calculated as the sum of the relative concentrations of a product's ingredients multiplied by their corresponding natural indexes. This calculation can be performed either by including formulation water, as in Formula (5) or by excluding formulation water, as in Formula (6).

5.1.2 Calculation of natural content by including formulation water

$$C^{N}_{+H_2O} = \sum_{\alpha=1}^{n} (P_\alpha \times I_{n\alpha}) \quad (5)$$

where

$C^{N}_{+H_2O}$ is the natural content of a product, as calculated by including formulation water as an ingredient;

P_α is the percentage, by mass, of each ingredient, α, in the product and includes formulation water as an ingredient;

$I_{n\alpha}$ is the natural index corresponding to each ingredient, α, in the product.

© ISO 2017 – All rights reserved
This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

5.1.3 Calculation of natural content by excluding formulation water

$$C^{N}_{-H_2O} = \sum_{\beta=1}^{n} \left[\frac{P_\beta}{\left(1 - \frac{H_2O_F\,\%}{100\ \%}\right)} \times I_{n\beta} \right] \tag{6}$$

where

$C^{N}_{-H_2O}$ is the natural content of a product, as calculated by excluding formulation water as an ingredient;

P_β is the percentage, by mass, of β, each ingredient except formulation water (H_2O_F) in the product. P_β excludes formulation water as an ingredient (i.e. the percentage of formulation water is not part of the numerator);

$I_{n\beta}$ is the natural index corresponding to each ingredient, β, in the product;

H_2O_F % is the percentage, by mass, of formulation water in the product.

5.2 Natural origin content

5.2.1 General

The natural origin content of a product is the mass percentage, between 0 % and 100 %, of all natural ingredients and natural portions of derived natural ingredients in that product. It is calculated as the sum of the relative concentrations of a product's ingredients multiplied by their corresponding natural origin indexes. This calculation can be performed either by including formulation water, as in Formula (7) or by excluding formulation water, as in Formula (8).

5.2.2 Calculation of natural origin content by including formulation water

$$C^{no}_{+H_2O} = \sum_{\alpha=1}^{n} \left(P_\alpha \times I_{no\alpha} \right) \tag{7}$$

where

$C^{no}_{+H_2O}$ is the natural origin content of a product, as calculated by including formulation water as an ingredient;

P_α is the percentage, by mass, of each ingredient, α, in the product and includes formulation water as an ingredient;

$I_{no\alpha}$ is the natural origin index corresponding to each ingredient, α, in the product.

5.2.3 Calculation of natural origin content by excluding formulation water

$$C^{no}_{-H_2O} = \sum_{\beta=1}^{n} \left[\frac{P_\beta}{\left(1 - \frac{H_2O_F\,\%}{100\ \%}\right)} \times I_{no\beta} \right] \tag{8}$$

where

© ISO 2017 – All rights reserved

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

$C^{no}_{-H_2O}$ is the natural origin content of a product, as calculated by excluding formulation water as an ingredient;

P_β is the percentage, by mass, of β, each ingredient except formulation water (H_2O_F), in the product. P_β is not calculated for H_2O_F as an ingredient, β, since H_2O_F is excluded from contribution toward natural origin content in this case;

$I_{no\beta}$ is the natural origin index corresponding to each ingredient, β, in the product;

H_2O_F % is the percentage, by mass, of formulation water in the product.

5.3 Organic content

5.3.1 General

The organic content of a product is the mass percentage, between 0 % and 100 %, of all organic ingredients in that product. It is calculated as the sum of the relative concentrations of a product's ingredients multiplied by their corresponding organic indexes. This calculation can be performed either by including formulation water, as in Formula (9) or by excluding formulation water, as in Formula (10).

5.3.2 Calculation of organic content by including formulation water

$$C^{O}_{+H_2O} = \sum_{\gamma=1}^{n} \left(P_\gamma \times I_{o_\gamma} \right) \tag{9}$$

where

$C^{O}_{+H_2O}$ is the organic content of a product, as calculated by including formulation water as an ingredient;

P_γ is the percentage, by mass, of each ingredient, γ, in the product and includes formulation water as an ingredient;

I_{o_γ} is the organic index corresponding to each ingredient, γ, in the product.

5.3.3 Calculation of organic content by excluding formulation water

$$C^{O}_{-H_2O} = \sum_{\delta=1}^{n} \left[\frac{P_\delta}{\left(1 - \frac{H_2O_F\,\%}{100\,\%} \right)} \times I_{o\delta} \right] \tag{10}$$

where

$C^{O}_{-H_2O}$ is the organic content of a product, as calculated by excluding formulation water as an ingredient;

P_δ is the percentage, by mass, of δ, each ingredient except formulation water (H_2O_F), in the product. P_δ is not calculated for H_2O_F as an ingredient, δ, since H_2O_F is excluded from contribution toward organic content in this case;

$I_{o\delta}$ is the organic index corresponding to each ingredient, δ, in the product;

H_2O_F % is the percentage, by mass, of formulation water in the product.

© ISO 2017 – All rights reserved
This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

5.4 Organic origin content

5.4.1 General

The organic origin content of a product is the mass percentage, between 0 % and 100 %, of all organic ingredients and organic portions of derived organic ingredients in that product. It is calculated as the sum of the relative concentrations of a product's ingredients multiplied by their corresponding organic origin indexes. This calculation can be performed either by including formulation water, as in Formula (11) or by excluding formulation water, as in Formula (12).

5.4.2 Calculation of organic origin content by including formulation water

$$C^{OO}_{+H_2O} = \sum_{\gamma=1}^{n} \left(P_\gamma \times I_{oo_\gamma} \right) \tag{11}$$

where

$C^{OO}_{+H_2O}$ is the organic origin content of a product, as calculated by including formulation water as an ingredient;

P_γ is the percentage, by mass, of each ingredient, γ, in the product and includes formulation water as an ingredient;

I_{oo_γ} is the organic origin index corresponding to each ingredient, γ, in the product.

5.4.3 Calculation of organic origin content by excluding formulation water

$$C^{OO}_{-H_2O} = \sum_{\delta=1}^{n} \left[\frac{P_\delta}{\left(1 - \frac{H_2O_F\,\%}{100\ \%} \right)} \times I_{oo\delta} \right] \tag{12}$$

where

$C^{OO}_{-H_2O}$ is the organic origin content of a product, as calculated by excluding formulation water as an ingredient;

P_δ is the percentage, by mass, of each ingredient, δ, in the product and excludes formulation water as an ingredient (i.e. the percentage of formulation water is not part of the numerator);

$I_{oo\delta}$ is the organic origin index corresponding to each ingredient, δ, in the product;

$H_2O_F\%$ is the percentage, by mass, of formulation water in the product.

Annex C shows calculation examples of each content calculations in a finished cosmetic products.

© ISO 2017 – All rights reserved

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

Annex A
(informative)

Examples of calculations to determine indexes of ingredients containing a derived natural or organic component

Table A.1 — Examples of calculations to determine indexes of ingredients containing a derived natural or organic component

Ingredient type	Example (all percentages listed are % mass fraction)	Natural index	Natural origin index	Organic index	Organic origin index
Derived natural	C18-38 Alkyl Beeswax: Made by reacting 45 % C18-38 alkyl alcohols from naphtha (non-natural) with 55 % C24-36 beeswax acid (organic)	0	0,55	0	0
Derived organic	Stearyl Beeswax: Made by reacting 35 % stearyl alcohol from animal fat (organic) with 65 % C24-36 beeswax acid (organic)	0	1	0	1
Derived organic	Butyl Avocadate: Made by reacting 70 % butyl alcohol (natural) with 30 % avocado fatty acids (organic)[a]	0	1	0	0,3
Non-natural	PPG-6 Castorate: Made by reacting 30 % castor oil (natural) with 70 % PPG-6 (non-natural)[b]	0	0	0	0
Non-natural	Silica silylate: Made by reacting 57 % silicone dioxide (natural – mineral) with 43 % methylsilane (from 67 % natural – mineral, and 33 % non-natural reactants)[c]	0	0	0	0

[a] There is no minimum concentration requirement for organic source material used to make derived organic ingredients.

[b] There is a maximum content limit for fossil fuel source material used to make derived natural ingredients (<50%).

[c] Substances made from mineral sources should have the same chemical composition as a naturally occurring mineral in order to be considered derived mineral ingredients. In this case, although the bulk of the ingredient (approximately 86 %) is made from natural–mineral reactants, silica silylate is considered non-natural because it does not occur in nature.

© ISO 2017 – All rights reserved
This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

Annex B
(informative)

Examples of organic index and organic origin index determination for extracts

Example 1:

Extract 34,4 kg of organic dry flowers by 601 kg of water to obtain 500 kg of extract

Calculation: (See 4.4)

H_2O_E = extraction water
H_2O_R = reconstitution water = min ($k \times m_{DP} - m_{DP}$) and H_2O (original fresh mass of the dried plant not known), k = 4,5 for dried flowers
m_{H2O} = total mass of water introduced = 601 kg

I_o = organic index = $1 - (m_{NS} + m_{DNS} + m_{DOS})/m_T$
m_{NS} = mass of natural solvent introduced
m_{DNS} = mass of derived natural solvent introduced = 0 kg
m_{DOS} = mass of derived organic solvent introduced = 0 kg
I_o = organic index
m_T = total mass introduced (organic plants + solvents) (34,4 + 601) kg
H_2O_R = min (4,5*34,4 – 34,4); 601) =120
$m_{NS} = H_2O_E$ = 601 – 120 = 481

I_o = organic index = $1 - (m_{NS} + m_{DNS} + m_{DOS})/m_T$ = 1 – 481/ (34,4 + 601) = 0,24

Example 2:

Extract 67,5 kg of organic fresh flowers by 200 kg steam to obtain 100 kg of hydrolate

Calculation of the organic index I_o: (See 4.4)

m_{NS} = mass of natural solvent introduced
m_W = total mass of water introduced
m_{NS} = mass of natural solvent introduced
$m_{NS} = m_{H2O} = E$ = 100

I_o = organic index = $1 - (m_{NS} + m_{DNS} + m_{DOS})/m_T$ = 1 – 200/(67,5 + 200) = 0,25

Example 3:

Extract 10,3 kg of organic dry flowers by 110 kg of non-organic vegetable oil to obtain 100 kg of extract

Calculation of the organic index I_O: (See 4.4)

H_2O_R = Reconstitution water = 0
m_{NS} = Mass of natural solvent introduced = 110 kg
m_T = Total mass introduced (organic plants + solvents): (10,3 + 110) kg

I_o = organic index = $1 - (m_{NS} + m_{DNS} + m_{DOS})/m_T$ = 1 – 110/(10,3 + 110) = 0,08

Example 4:

Extract 15 kg of organic fresh fruit by 55 kg of organic ethanol and 55 kg water to obtain 100 kg of extract

© ISO 2017 – All rights reserved

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

Calculation of the organic index: (See 4.4)

I_o = organic index = 1 – (m_{NS} + m_{DNS} + m_{DOS})/m_T
m_T = total mass introduced (organic plants + solvents) = (m_{FP} + m_{NS} + m_{DNS} +m_{DOS})
m_{FP} = mass of original fresh plant = 15 kg (organic fresh fruit)
m_{NS} = mass of natural solvent introduced = 55 kg (water)
m_{DNS} = mass of derived natural solvent introduced = 0 kg
m_{DOS} = mass of derived organic solvent introduced = 0 kg
I_o = organic index
m_{NS} = H_2O_E = 55

I_o = organic index = 1 – (m_{NS} + m_{DNS} + m_{DOS})/m_T = 1 – (55)/(15 + 55 + 55) = 0,56

Example 5:

Extract 20,1 kg of organic dry flowers by 191 kg of water and 191 kg of derived organic glycerine to obtain 339 kg of extract

Calculation of the organic index = I_o and organic origin index = I_{oo}: (See 4.4)

m_T = total mass introduced (organic plants + solvents) = (20,1 + 191 + 191) kg
m_{DP} = mass of original dry plant = 20,1 kg (organic dry flowers)
m_{NS} = mass of natural solvent introduced
m_{DOS} = mass of derived organic solvent introduced = 191 kg (derived organic glycerine)
m_{H2O} = total mass of water introduced = 191 kg
H_2O_R = reconstitution water = min (k × m_{DP} – m_{DP}) and H_2O: min (4,5 × 20,1 – 20,1); 191 = 70, k = 4,5 for dried flowers
m_{NS} = mass of natural solvent introduced = H_2O_E = extraction water: 191 – 70 = 121
m_{DOS} = 191

I_o = organic index = 1 – (m_{NS} + m_{DNS} + m_{DOS})/m_T = 1 – (121+191)/(20,1 + 191 + 191) = 0,22

I_{oo} = organic origin index = 1 – (m_{NS} + m_{DNS})/m_T = 1 – (121 + 191)/(20,1 + 191) = 0,70

© ISO 2017 – All rights reserved
This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.

© SABS. This standard may reside on internal network or intranet on a Single Site only and is exclusively available to The Cosmetic, Toiletry and Fragrance Association in accordance with copyright exploitation agreement no. 014/009/26.295, valid until 2027-07-31. The single-site licence allows authorised staff member of The Cosmetic, Toiletry and Fragrance Association to make five (5) printouts of the standard and will expire after one year unless renewed. Unauthorised copying, sharing, distribution, or access outside approved networks is prohibited.

Annex C
(informative)

Results of index determination and content calculation from Clauses 4 and 5

Table C.1 — Results of index determination and content calculation from Clauses 4 and 5

Ingredient	Example	% mass fraction	Natural index	Natural content	Natural origin index	Natural origin content	Organic index	Organic content	Organic origin index	Organic origin content
Formulation water	Deionized water	60	1	60	1	60	0	0	0	0
Natural	Vegetable oil	10	1	10	1	10	0	0	0	0
Extract	Extract of 10 kg fresh natural plant by a mix of 60 kg water and 30 kg natural derived glycerine of wholly natural origin	2	0,7	1,4	1	2	0	0	0	0
Mineral	Salt	3	1	3	1	3	0	0	0	0
Derived natural	Ester from 70 % natural and 30 % non-natural reactants	5	0	0	0,7	3,5	0	0	0	0
Derived mineral	Titanium dioxide	5	0	0	1	5	0	0	0	0
Organic	Organic vegetable oil	5	1	5	1	5	1	5	1	5
Organic extract	Extract of 10 kg dried organic leaves by a mix of 35 kg water and 70 kg organic ethanol	4	1	4	1	4	1	4	1	4
Derived organic	Ester from 20 % natural and 80 % organic reactants	4	0	0	1	4	0	0	0,8	3,2
Non-natural	Silicone oil	2	0	0	0	0	0	0	0	0
Total %		100	—	—	—	—	—	—	—	—
Formula content (from calculating with formulation water)			—	83,4	—	96,5	—	9,0	—	12,2
Formula content (from calculating without formulation water)			—	58,5	—	91,3	—	22,5	—	30,5

© ISO 2017 – All rights reserved

This product is copyrighted by SABS, 1 Dr Lategan Road, Groenkloof, 0181, South Africa. All rights reserved.